

PRE - POST INVENTORY

 CONFIDENTIAL REPORT
 POSTTEST



NAME: Example Report
 AGE : 37 SEX: Male
 ETHNICITY/RACE: Caucasian
 HIGHEST GRADE ATTAINED: 13

ID#: 0000000001
 MARITAL STATUS: Married
 Second Test Administration
 DATE SCORED: 12/11/2010

The Pre-Post Inventory is to be used in conjunction with experienced staff judgment. No diagnosis or decision should be based solely upon Pre-Post Inventory results. Consider these results working hypotheses.

MEASURES	%ile	PRE-POST PROFILE			
		LOW RISK	MEDIUM	PROBLEM	MAX
TRUTHFULNESS	10	*****
ALCOHOL	84	*****	*****
DRUGS	72	*****	*****
DISTRESS	73	*****	*****
RESISTANCE	50	*****
SELF-ESTEEM	56	*****
STRESS COPING	61	*****

0 40 70 90 100

----- PERCENTILE SCORES -----

CLIENT NEEDS AND STATUS RESPONSES

Death/Suicide (#30)..... 5	Recovering Drugs (#11)..... 5
Suicidal/Homicidal (#138)..... 4	Attends AA (#64)..... 1
Recovering Drinker (#61)..... 1	Attends CA (#22)..... 4

OBSERVATIONS/RECOMMENDATIONS: _____

STAFF MEMBER SIGNATURE

DATE

ATTAINED SCALE SCORE EXPLANATIONS

TRUTHFULNESS SCALE: LOW RISK RANGE RISK PERCENTILE:10

This is a Low Risk (zero to 39th percentile) score and other scale scores are accurate. Denial, minimizing and faking are minimal. This person was open, honest and truthful. And, this client has adequate reading skills. The Truthfulness Scale identifies self-protective, recalcitrant and guarded people who minimize or conceal information.

ALCOHOL SCALE: PROBLEM RISK RANGE RISK PERCENTILE:84

This is a Problem Risk (70 to 89th percentile) score. Alcohol use or abuse is a focal issue. Either an established pattern of drinking is evident, or this person is "recovering" (alcohol problem, but has stopped drinking). Relapse is possible. Clarify this person's history and pattern of drinking. With regard to alcohol, this is a Problem Risk score.

DRUGS SCALE: PROBLEM RISK RANGE RISK PERCENTILE:72

This is a Problem Risk (70 to 89th percentile) score. Drug use or abuse is indicated and may be a focal issue in this client's adjustment problems. Either this person is "recovering" (drug problem, but has stopped using) drug user, or this client manifests an established pattern of drug abuse. Relapse is possible. This is a Problem Risk Drugs Scale score.

DISTRESS SCALE: PROBLEM RISK RANGE RISK PERCENTILE:73

This client's Distress Scale score is in the Problem Risk (70 to 89th percentile) range. Moods likely vary from agitated to despondent. Distress is affecting this person's adjustment. Symptoms include unhappiness, discontent, worry, anxiety, apprehension and depression.

RESISTANCE SCALE: MEDIUM RISK RANGE RISK PERCENTILE:50

This person's score is in the Medium Risk (40 to 69th percentile) range. Although typically cooperative, stress, substance abuse or perceived threat can exacerbate defensiveness, uncooperativeness and resistance. This person functions best with clearly understood behavioral expectations and consequences.

SELF-ESTEEM SCALE: MEDIUM RISK RANGE RISK PERCENTILE:56

This client's self-esteem is relatively intact. Although generally positive self-esteem is indicated, some ambivalence or indecisiveness regarding "self" is becoming evident. Self-esteem reflects an explicit valuing and appraisal of oneself with ambivalent "approval" versus "disapproval" features. This is a Medium Risk Self-Esteem Scale score.

STRESS COPING SCALE: MEDIUM RISK RANGE RISK PERCENTILE:61

This is a Medium Risk (40 to 69th percentile) range score. Stress is not a focal issue in this client's adjustment. Symptoms of stress can include irritability, moodiness, substance (alcohol and other drugs) abuse, and interpersonal conflict. With regard to stress coping abilities, this is a Medium Risk score.

10 POINT RECENCY MEASURES: LAST 30 DAYS

MEASURE	POINTS	DESCRIPTION
ALCOHOL	2	Clarify client's answers to #38 & #137
DRUGS	1	Clarify client's answer to item #4
DANGEROUSNESS	0	No suicidal or homicidal admissions

SIGNIFICANT ITEMS: The following self-report responses represent areas that help in understanding the client's problems, situation or needs.

ALCOHOL

12. Has not stopped drinking
61. States "recovering" alcoholic
64. Attends AA meetings

DRUGS

4. Abused drugs within 30 days

DISTRESS

7. Needs a confidant

RESISTANCE

10. Says doesn't want or need help

SOCIAL STRESSORS (STRUCTURED INTERVIEW)

135. Undecided about treatment	142. Alc. treatment helped greatly
136. Drugs not a problem	143. No drug treatment
137. Drinking a moderate problem	144. Alcohol: may need help
138. Not suicidal or homicidal	145. No need for drug treatment
139. Some distress problems	146. May need counseling
140. Last 30 days: drinking better	147. Last 30 days trtmt: excellent
141. No drug problem	148. Program: worthwhile

PPI RESPONSES (TEST #4)

1- 50	1141112514	5241242443	5414422435	4135452345	2441254414
51-100	1215125211	1421111415	1511115122	4213434442	4245144324
101-148	1521533231	2134321312	3142331331	2324242423	41424211